



PL-LINE
TACTILE SURFACE
GUIDE STRIPS

PL-LINE

Tactile surface guide stripes from high performance polymers

Product description

Tactile surface guide strips /plates/ with a design in shape of longitudinal ribs are made from a mixture of **high-performance polymers**, which are commonly used for road markings. Thanks to these features the stripes are effective and unbreakable. Their service life is more than 7 years. They are also characterized by: good abrasion resistance, excellent resistance to weathering, ozone, sunlight. The system has proved good outdoors at bus stops, pedestrian crossings.



PURPOSE OF USE



PL-LINE

Tactile surface guidelines /tactile guide strips/ with a design of longitudinal projections in shape of rib projections in a colour contrasting with the colour of the surrounding surface and functional arrangement of the longitudinal strips /ribs/ on the ground provide directional guidance.


Tactile surface guidelines allow you to build guidance on the ground that is recognizable by legs and white stick and can be also detected visually.

Tactile surface guidelines help blind and visually impaired people to find their way with help of a longitudinal design. **Tactile surface guidelines** enable blind and visually impaired people to quickly and safely get from the starting point to their place of destination.

Structure of the guideline


Individual **tactile surface guidelines /tactile guide strips/** fit harmoniously into the existing architecture and break the concept in an attractive way.

VARIANTS:



PRODUCT FEATURES OF /PL-LINE/

- Minimal impact on staff/pedestrians during installation
- Quick and easy installation using on surfaces /asphalt, concrete/
- Embossed anti-slip surface, safe and non-slip
- Low maintenance demands
- Walking possible immediately after installation
- Tactile warning strips can be cut to fit any angular combinations
- PL-LINE offers specifiers the opportunity to equip all places, which are to be labelled by a warning system for the blind, in a fast and economical way, without earthworks
- Several 10 m² can be installed in one day



LUMINANCE CONTRAST

In line with international and European standards the luminance contrast between the tactile surface guide strips and the surrounding substrate must be minimum 30%. PL-LINE is available in a variety of colour inserts that allow specifiers to choose the most appropriate contrast values for a given installation.

COLOURS

Choose the colour of the strips

Individual surface guide strips are available in white colour.



white




of tactile surface guide strips

Versatile and flexible

Enormous variability and flexibility of tactile warning strips and guidelines means that they can be easily fitted into almost any construction without limitation of creative design and architecture. Whether used in new or old constructions, they work exactly the same way.

According to the law against discrimination of the blind and visually impaired, it is required to ensure the placement of tactile surface guide strips in internal and external areas open to the public.

Guide strips - are placed on the top and bottom of each arm of the stairs, on ramps in front of escalators, on each side of pedestrian crossings, along platforms of public transport (such as bus stops, train platforms, subway...), sea and river transport and in all areas, which are described in the decree of the country.



PL-LINE

LIST OF INDIVIDUAL TACTILE SURFACE GUIDE STRIPS FROM POLYMERS



PL/P1



PL/P1

PL/P1



Tactile surface guide strips from polymers

Tactile surface guide strips with a design of studs of hemispherical shape are made from high performance polymers and ensure long lasting stable performance.

PL-LINE / TACTILE SURFACE GUIDE STRIPS

MODEL	WIDTH	LENGTH	HEIGHT	MATERIAL	COLOUR	PRODUCT CODE
PL/P1	170mm	6m	6,5mm	polymer		PL/P1-WH/422/900

PL/P2



Tactile surface guide strips from polymers

Tactile surface guide strips with a design of studs of hemispherical shape are made from high performance polymers and ensure long lasting stable performance.

PL-LINE / TACTILE SURFACE GUIDE STRIPS

MODEL	WIDTH	LENGTH	HEIGHT	MATERIAL	COLOUR	PRODUCT CODE
PL/P2	170mm	1000mm	6,5mm	polymer		PL/P2-BL-WH/170/1000
	400mm	1000mm	6,5mm	polymer		PL/P2-BL-WH/400/1000


TECHNICAL PARAMETERS

They are designed to meet international and European standards.


/Surface guide strips are produced with the following dimensions/:

PL/P1

ISO 23599



PL/P2



MATERIAL: polymer

INSTALLATION: sticking



OLEJÁR, spol. s.r.o.

086 36, Nižná Polianka 65, Slovakia

Tel.: +421 905 560 158

E-mail: info@olejartactile.com

www.olejartactile.com

